

## References

- Anderson, C. A. M., & Nguyen, H. A. (2018). Nutrition education in the care of patients with chronic kidney disease and end-stage renal disease. *Seminars in Dialysis*, *31*(2), 115–121. 10.1111/sdi.12681
- Burton, J. O., Goldsmith, D. J., Ruddock, N., Shroff, R., & Wan, M. (2018). Renal association commentary on the KDIGO (2017) clinical practice guideline update for the diagnosis, evaluation, prevention, and treatment of CKD-MBD. *BMC Nephrology*, *19*(1), 1–13. 10.1186/s12882-018-1037-8
- Chan, M. W., Cheah, H. M., & Padzil, M. B. M. (2019). Multidisciplinary education approach to optimize phosphate control among hemodialysis patients. *International Journal of Clinical Pharmacy*, *41*(5), 1282–1289. 10.1007/s11096-019-00878-4
- Chen, H., Han, X., Cui, Y., Ye, Y., Purrusing, Y., & Wang, N. (2018). Parathyroid hormone fragments: New targets for the diagnosis and treatment of chronic kidney disease-mineral and bone disorder. *BioMed Research International*, *2018*, 1–14. 10.1155/2018/9619253
- Copland, M., Komenda, P., Weinhandl, E.D., McCullough, P.A., Morfin, J.A. (2016). Intensive hemodialysis, mineral and bone disorder, and phosphate binder use. *American Journal of Kidney Disease*. *68*(5)(suppl 1): S24-S32 <http://dx.doi.org/10.1053/j.ajkd.2016.05.024>
- Davita Dietician Reference Manual. (2018). Module 6-Mineral and Bone Disorder (MBD) Management.[https://intranet.davita.com/Depts/DietitianConnection/Documents/Module %206-Mineral%20and%20Bone%20Disorder%20Management.pdf#search=mineral%20bone%20disease](https://intranet.davita.com/Depts/DietitianConnection/Documents/Module%206-Mineral%20and%20Bone%20Disorder%20Management.pdf#search=mineral%20bone%20disease)

- Djukanovic, L., Dimkovic, N., Marinkovic, J., Djuric, Z., Knezevic, V., Lazarevic, T., Ljubenović S., Marković R., & Rabrenović V. (2016). Association between hemodialysis patient outcomes and compliance with KDOQI and KDIGO targets for mineral and bone metabolism. *Nephron*. 132: 168-174 <https://doi.org/10.1159/000443848>
- Elliot, J.O., Ortman, C., Almaani, S., Lee, Y.H., Jordan, K. (2015). Understanding the Associations between modifying factors, individual health beliefs, and Hemodialysis Patients adherence to a Low Phosphorous Diet. *Journal of Renal Nutrition*, 25(2) p 111-120.  
<http://dx.doi.org.libproxy.siue.edu/10.1053/j.jrn.2014.08.006>
- Finfgeld, D.A., Wongvatunyu, S., Conn, V.S, Grando, V.T., Russell, C.L. (2003). Health Belief Model and Reversal Theory: A Comparative Analysis. *Journal of Advanced Nursing*, 43(3). <https://doi.org/10.1046/j.1365-2648.2003.02712.x>
- Fissell, R.B., Karaboyas, A., Bieber, B.A., Sen, A., Li, Y., Lopes, A.A., Akiba, T., Bommer, J., Ethier, J., Jadoul, M., Pisoni, R.L., Robinson, B.M. & Tentori, F. (2016), Phosphate binder pill burden. *Hemodial Int*, 20: 38-49. doi:10.1111/hdi.12315
- Ketteler, M., Block, G. A., Evenepoel, P., Fukagawa, M., Herzog, C. A., Mccann, L., Leonard, M. B. (2018). Diagnosis, evaluation, prevention, and treatment of chronic kidney disease—mineral and bone disorder: Synopsis of the kidney disease: Improving global outcomes 2017 clinical practice guideline update. *Annals of Internal Medicine*, 168(6), 422. [10.7326/m17-2640](https://doi.org/10.7326/m17-2640)
- Kidney International Supplements. (2017). KDIGO 2017. Clinical practice guideline update for the diagnosis, evaluation, prevention, and treatment of chronic kidney disease - Mineral

and bone disorder (CKD-MBD). *The Official Journal of the International Journal of Nephrology*, 7(3), 155–170. 10.22141/2307-1257.6.3.2017.109030

National Kidney Foundation. (2019, September 4). Kidney Disease: The basics.

<https://www.kidney.org/news/newsroom/factsheets/KidneyDiseaseBasics>

Milazi, M., Bonner, A., & Douglas, C. (2015). The effectiveness of education or behavioral interventions on adherence to phosphate control in adults receiving hemodialysis: a systematic review protocol. *JBIC Database of Systematic Reviews and Implementation Reports*, 13(3), 91–102. 10.11124/jbisrir-2015-1880

Sciberras, A., & Scerri, J. (2016). Facilitators and barriers to treatment with haemodialysis among persons in mid-adulthood: An interpretative phenomenological analysis.

*Scandinavian Journal of Caring Sciences*, 31(4), 695–701. 10.1111/scs.12381

The National Institute of Diabetes and Digestive and Kidney Diseases Health Information Center. (2016, December 1). Kidney disease statistics for the United States.

<https://www.niddk.nih.gov/health-information/health-statistics/kidney-disease>

Sanchez-Riera, L., Wilson, N. M., Prieto-Alhambra, D., Cooper, C., Halbout, P., Woolf, A., & March, L. (2017). Low bone mineral density is the main contributor to falls-related health burden in the elderly.

Trochim, WMK. (2020). *Research Methods Knowledge Base: Likert Scaling*. Conjointly.com

<https://conjointly.com/kb/likert-scaling/>

University of California San Francisco. (2019). The Kidney Project.

<https://pharm.ucsf.edu/kidney/need/statistics>