

References

- Ahrens, K. A., Nelson, H., Stidd, R. L., Moskosky, S., & Hutcheon, J. A. (2018). Short interpregnancy intervals and adverse perinatal outcomes in high-resource settings: An updated systematic review. *Paediatric and Perinatal Epidemiology*, *33*(1), O25-O45.
- Aiken, A. R., Dillaway, C., & Mevs-Korff, N. (2015). A blessing I can't afford: Factors underlying the paradox of happiness about unintended pregnancy. *Social Science & Medicine*, *132*, 149–155.
- Ajzen, I. (2006). Behavioral interventions based on the Theory of Planned Behavior. Retrieved from <https://people.umass.edu/ajzen/pdf/tpb.intervention.pdf>
- Allen, D., Stranger-Hunter, M., Wood, S., & Beeson, T. (2017). One key question: First things first in reproductive health. *Maternal and Child Health Journal*, *21*, 387-392.
- AWHONN. (2016). Insurance coverage for contraceptives. *Journal of Obstetric, Gynecologic & Neonatal Nursing*, *45*(5), 719–720.
- Baldwin, M. K., Overcarsh, P., Patel, A., Zimmerman, L., & Edelman, A. (2018). Pregnancy intention screening tools: A randomized trial to assess perceived helpfulness with communication about reproductive goals. *Contraception and Reproductive Medicine*, *3*(1).
- Baldwin, S., Singhai, R., & Allen, D. (2018). Optimizing care for women of reproductive age with one key question. *Rx for Prevention*, *8*(4), July-August.
- Bellanca, H., & Hunter, M. S. (2013). One key question: Better integration of preventive reproductive health services into primary care. *Contraception*, *88*(2), 302.
- Bigelow, C. A., & Bryant, A. S. (2015). Short Interpregnancy Intervals. *Obstetrical & Gynecological Survey*, *70*(7), 458-464.
- Braaten, K. P., & Dutton, C. (2019, June 26). Postpartum permanent contraception. Retrieved from <https://www.uptodate.com/contents/postpartum-permanent-contraception>
- Callegari, L. S., Aiken, A. R., Dehlendorf, C., Cason, P., & Borrero, S. (2017). Addressing potential pitfalls of reproductive life planning with patient-centered counseling. *American Journal of Obstetrics and Gynecology*, *216*(2), 129-134.
- Cooper, M., & Cameron, S. (2018). Postpartum contraception. *Royal College of Obstetricians and Gynaecologists*, *20*, 159-166.
- Cornell, A., McCoy, C., Stampfel, C., Bonzon, E., & Verbiest, S. (2016, November). Creating new strategies to enhance postpartum health and wellness. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/27581003>

- Curry, R., Derouin, A., Kenny, K., Gaulding, D., Thompson, J., & Stevenson, E. (2019). A QI project to assess the feasibility of using one key question in retail health clinics. *Women's Healthcare*, 40-43
- Edmonds, S. W., & Ayres, L. (2017). Evolutionary concept analysis of reproductive life planning. *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 46(1), 78–90.
- Hammarberg, K., Hassard, J., Silva, R. D., & Johnson, L. (2020). Acceptability of screening for pregnancy intention in general practice: A population survey of people of reproductive age. *BMC Family Practice*, 21(1), 1-6.
- Hanson, J. D., Nothwehr, F., Yang, J. G., & Romitti, P. (2014). Indirect and direct perceived behavioral control and the role of intention in the context of birth control behavior. *Maternal and Child Health Journal*, 19(7), 1535–1542.
- Harney, C., Dude, A., & Haider, S. (2017). Factors associated with short interpregnancy interval in women who plan postpartum LARC: A retrospective study. *Contraception*, 95(3), 245-250.
- Hipp, S., Carlson, A., & McFarlane, E. (2017). Improving reproductive life planning in Hawai'i: One key question. *Hawai'i Journal of Medicine & Public Health*, 76(9), 261-264.
- Jones, H. E., Calixte, C., Manze, M., Perlman, M., Rubin, S., Roberts, L., & Romero, D. (2020). Primary care patients' preferences for reproductive health service needs assessment and service availability in New York Federally Qualified Health Centers. *Contraception*, 101(4), 226-230.
- Kleppel, L., Suplee, P. D., Stuebe, A. M., & Bingham, D. (2016). National initiatives to improve systems for postpartum care. *Maternal and Child Health Journal*, 20(S1), 66–70.
- Kotter, J. P. (2012). *Leading change*. Boston, MA: Harvard Business Review Press.
- Kvach, E., Marcus, H., & Loomis, L. (2018). Evaluation of resident and faculty performance in routinely addressing unmet reproductive health needs in a teaching health center. *Family Medicine*, 50(4), 291-295.
- Liberty, A., Yee, K., Darney, B. G., Lopez-Defede, A., & Rodriguez, M. I. (2020). Coverage of immediate postpartum long-acting reversible contraception has improved birth intervals for at-risk populations. *American Journal of Obstetrics and Gynecology*, 222(4).
- Madrigal, J. M., Stempinski-Metoyer, K., Mcmanus, A. E., Zimmerman, L., & Patel, A. (2019). The family planning quotient and reproductive life index (FPQ/RepLI) tool: A solution for family planning, reproductive life planning and contraception counseling. *Reproductive Health*, 16(1). 1-10.

- Mager, N. D., Lucas, B., Clark, M., Kelly, M., & Gabbe, P. (2018). Ohio providers' practices and barriers to use of reproductive life plans and long-acting reversible contraception with patients and clients. *Ohio Journal of Public Health, 1*(1), 3-7.
- Manze, M., Romero, D., Sumberg, A., Gagnon, M., Roberts, L., & Jones, H. (2020). Women's perspectives on reproductive health services in primary care. *Family Medicine, 52*(2), 112-118.
- McKinney, D., House, M., Chen, A., Muglia, L., & DeFranco, E. (2017). The influence of inter pregnancy interval on infant mortality. *American Journal of Obstetrics and Gynecology, 216*(316), e1-9.
- Morse, J. E., & Moos, M. (2018). Reproductive Life Planning: Raising the Questions. *Maternal and Child Health Journal, 22*(4), 439-444.
- Mulligan, K. (2015, July 8). Contraception use, abortions, and births: The effect of insurance mandates. Retrieved from <https://link.springer.com/article/10.1007/s13524-015-0412-3>
- Postava, K. C., & Winter, A. S. (2015). Short and long interpregnancy intervals: Correlates and variations by pregnancy timing among U.S. women. *Perspectives on Sexual and Reproductive Health, 47*(1), 19-26.
- Stulberg, D. B., Dahlquist, I. H., Disterhoft, J., Bello, J. K., & Hunter, M. S. (2019). Increase in contraceptive counseling by primary care clinicians after implementation of One Key Question® at an urban community health center. *Maternal and Child Health Journal, 23*(8), 996-1002.
- Stulberg, D. B., Datta, A., Vangompel, E. W., Schueler, K., & Rocca, C. H. (2020). One key question and the desire to avoid pregnancy scale: A comparison of two approaches to asking about pregnancy preferences. *Contraception, 101*(4), 231-236.
- Sundstrom, B., Ferrara, M., Demaria, A. L., Baker-Whitcomb, A., & Payne, J. B. (2017). Integrating pregnancy ambivalence and effectiveness in contraceptive choice. *Health Communication, 32*(7), 820-827.
- Tydén, T., Verbiest, S., Achterberg, T. V., Larsson, M., & Stern, J. (2016). Using the Reproductive Life Plan in contraceptive counseling. *Uppsala Journal of Medical Sciences, 121*(4), 299-303.
- U.S. Department of Health & Human Services. (2019, September 6). Family Planning. Retrieved from <https://www.healthypeople.gov/2020/topics-objectives/topic/family-planning>
- White, K., Teal, S. B., & Potter, J. E. (2015). Contraception after delivery and short interpregnancy intervals among women in the United States. *Obstetrics & Gynecology, 125*(6), 1471-1477.

Yolande, M. (2019). Kotter's 8-step change model: Implementing change powerfully and successfully. Retrieved from https://www.mindtools.com/pages/article/newPPM_82.htm.