

References

Abate, S., Ahmed, S., & Anbese, G. M. (2021). Efficacy and safety of prophylactic intrathecal normal saline for prevention of post dural puncture headache among women undergoing cesarean section under Spinal Anesthesia: A randomized controlled trial.

<https://doi.org/10.21203/rs.3.rs-584207/v1>

Ahmed, A., Adhikary, S., Varbeek, T., & Vaida, S. (2012). Use of cosyntropin for treatment of refractory post dural puncture headache (PDPH): Case report and a suggested algorithm. *Journal of Anesthesia & Clinical Research*, 03(11).

<https://doi.org/10.4172/2155-6148.1000259>

Aguilar, J., Schier, R., Mike, H., Krishna, B., & Riedel, B. (2007, October 14). *Meta-Analysis of Air Versus Saline Technique for Loss of Resistance: An Analysis of Complications*. Meta-analysis of air versus saline technique for loss of resistance: An analysis of complications.

Retrieved September 30, 2021, from

<http://www.asaabstracts.com/strands/asaabstracts/abstract.htm?year=2007&index=14&absnum=1979>.

Ahmed, S. V., Jayawarna, C., & Jude, E. (2006). Post lumbar puncture headache: diagnosis and management. *Postgraduate medical journal*, 82(973), 713–716.

<https://doi.org/10.1136/pgmj.2006.044792>

Ahuja, P., Singh, R., & Jain, A. (2019). Effect of intrathecal catheterisation on incidence of postdural puncture headache after accidental dural puncture in non-obstetric

patients. *Journal of anaesthesiology, clinical pharmacology*, 35(1), 49–52.

https://doi.org/10.4103/joacp.JOACP_158_18

Al-Metwalli, R. R. (2008). Epidural morphine injections for prevention of post dural puncture headache. *Anaesthesia*, 63(8), 847–850. <https://doi.org/10.1111/j.1365-2044.2008.05494.x>

Amorim, J. A., Gomes de Barros, M. V., & Valença, M. M. (2012). Post-dural (post-lumbar) puncture headache: Risk factors and clinical features. *Cephalalgia*, 32(12), 916–923. <https://doi.org/10.1177/0333102412453951>

Angle, P. J., Kronberg, J. E., Thompson, D. E., Ackerley, C., Szalai, J. P., Duffin, J., & Faure, P. (2003). Dural tissue trauma and cerebrospinal fluid leak after epidural needle puncture. *Anesthesiology*, 99(6), 1376–1382. <https://doi.org/10.1097/00000542-200312000-00021>

Angle, P., Thompson, D., Szalai, J. P., & Tang, S. L. (2005). Expectant management of postdural puncture headache increases hospital length of stay and emergency room visits. *Canadian Journal of Anesthesia/Journal Canadien D'anesthésie*, 52(4), 397–402. <https://doi.org/10.1007/bf03016283>

Antibas, P. L., do Nascimento Junior, P., Braz, L. G., Vitor Pereira Doles, J., Módolo, N. S., & El Dib, R. (2014). Air versus saline in the loss of resistance technique for identification of the epidural space. *The Cochrane database of systematic reviews*, 2014(7), CD008938. <https://doi.org/10.1002/14651858.CD008938.pub2>

Apfel, C. C., Saxena, A., Cakmakkaya, O. S., Gaiser, R., George, E., & Radke, O. (2010).

Prevention of postdural puncture headache after accidental dural puncture: A quantitative systematic review. *British Journal of Anaesthesia*, *105*(3), 255–263.

<https://doi.org/10.1093/bja/aeq191>

Arevalo-Rodriguez, I., Ciapponi, A., Roqué-Figuls, M., Muñoz, L., & Bonfill Cosp, X. (2016).

Posture and fluids for preventing post-dural puncture headache. *Cochrane Database of Systematic Reviews*. <https://doi.org/10.1002/14651858.cd009199.pub3>

Bardon, J., LE Ray, C., Samama, C. M., & Bonnet, M. P. (2016). Risk factors of post-dural puncture headache receiving a blood patch in obstetric patients. *Minerva*

anestesiologica, *82*(6), 641–648.

Basurto Ona, X., Osorio, D., & Bonfill Cosp, X. (2015). Drug therapy for treating post-dural

puncture headache. *The Cochrane database of systematic reviews*, *2015*(7), CD007887.

<https://doi.org/10.1002/14651858.CD007887.pub3>

Bateman, B., Cole, N., Sun-Edeelstein, C., & Lay, C. (2021, July 27). *Post Dural Puncture*

Headache. Uptodate. Retrieved September 16, 2021, from

<https://www.uptodate.com/contents/post-dural-puncture-headache>.

Bolden, N., & Gebre, E. (2016). Accidental Dural Puncture Management: 10-Year Experience at

an Academic Tertiary Care Center. *Regional anesthesia and pain medicine*, *41*(2), 169–

174. <https://doi.org/10.1097/AAP.0000000000000339>

Bradbury, C. L., Singh, S. I., Badder, S. R., Wakely, L. J., & Jones, P. M. (2012). Prevention of post-dural puncture headache in parturients: A systematic review and meta-analysis. *Acta Anaesthesiologica Scandinavica*, *57*(4), 417–430. <https://doi.org/10.1111/aas.12047>

Carter, B. L., & Pasupuleti, R. (2000). Use of intravenous cosyntropin in the treatment of postdural puncture headache. *Anesthesiology*, *92*(1), 272–272. <https://doi.org/10.1097/00000542-200001000-00043>

Chakraborty, A., & Sinha, A. (2016). The incidence of Post Dural Puncture Headache Following Spinal Anaesthesia:- A Comparison of Sitting Versus Lateral Decubitus Position. *International Journal of Contemporary Medical Research*, *3*(7).

Charsley, M., & Abram, S. (2001). The injection of intrathecal normal saline reduces the severity of postdural puncture headache. *Regional Anesthesia and Pain Medicine*, *26*(4), 301–305. <https://doi.org/10.1053/rapm.2001.22584>

Chekol, B., Yetneberk, T., & Teshome, D. (2021). Prevalence and associated factors of post dural puncture headache among parturients who underwent cesarean section with Spinal Anesthesia: A systemic review and meta-analysis, 2021. *Annals of Medicine and Surgery*, *66*, 102456. <https://doi.org/10.1016/j.amsu.2021.102456>

Cohen, S., Levin, D., Mellender, S., Zhao, R., Patel, P., Grubb, W., & Kiss, G. (2018). Topical Sphenopalatine Ganglion Block Compared With Epidural Blood Patch for Postdural Puncture Headache Management in Postpartum Patients: A Retrospective Review. *Regional anesthesia and pain medicine*, *43*(8), 880–884. <https://doi.org/10.1097/AAP.0000000000000840>

Costa, A. C., Satalich, J. R., Al-Bizri, E., Shodhan, S., Romeiser, J. L., Adsumelli, R., Abola, R. E., Steinberg, E. S., & Bennett-Guerrero, E. (2019). A ten-year retrospective study of post-dural puncture headache in 32,655 obstetric patients. *Canadian Journal of Anesthesia/Journal Canadien D'anesthésie*, 66(12), 1464–1471.

<https://doi.org/10.1007/s12630-019-01486-6>

Davoudi, M., Tarbiat, M., Ebadian, M. R., & Hajian, P. (2016). Effect of Position During Spinal Anesthesia on Postdural Puncture Headache After Cesarean Section: A Prospective, Single-Blind Randomized Clinical Trial. *Anesthesiology and pain medicine*, 6(4), e35486. <https://doi.org/10.5812/aapm.35486>

De Almeida, S. M., Shumaker, S. D., LeBlanc, S. K., Delaney, P., Marquie-Beck, J., Ueland, S., Alexander, T., & Ellis, R. J. (2011). Incidence of POST-DURAL Puncture headache in Research Volunteers. *Headache: The Journal of Head and Face Pain*, 51(10), 1503–1510. <https://doi.org/10.1111/j.1526-4610.2011.01959.x>

Delgado, C., Bollag, L., & Van Cleve, W. (2020). Neuraxial Labor Analgesia Utilization, Incidence of Postdural Puncture Headache, and Epidural Blood Patch Placement for Privately Insured Parturients in the United States (2008-2015). *Anesthesia and analgesia*, 131(3), 850–856. <https://doi.org/10.1213/ANE.00000000000004561>

DelPizzo, K. (2020, April 22). *Risk of postdural puncture headache in adolescents and adults*. Anesthesia Experts. Retrieved September 22, 2021, from <https://anesthesiaexperts.com/uncategorized/risk-postdural-puncture-headache-adolescents-adults/>.

Deng, J., Wang, L., Zhang, Y., Chang, X., & Ma, X. (2017). Insertion of an intrathecal catheter in parturients reduces the risk of post-dural puncture headache: A retrospective study and meta-analysis. *PLOS ONE*, *12*(7). <https://doi.org/10.1371/journal.pone.0180504>

Drasner, K. (2009). Spinal anaesthesia: A century of refinement, and failure is still an option. *British Journal of Anaesthesia*, *102*(6), 729–730. <https://doi.org/10.1093/bja/aep085>

Farhat, N. Y., Farmer, C., Do, A. D., Bianconi, S., & Porter, F. D. (2020). Low incidence of postdural puncture headache further reduced with atraumatic spinal needle: A retrospective cohort study. *Pediatric Neurology*, *114*, 35–39. <https://doi.org/10.1016/j.pediatrneurol.2020.10.001>

Faridi Tazeh-kand, N., Eslami, B., Ghorbany Marzony, S., Abolhassani, R., & Mohammadian, K. (2013). Injection of intrathecal normal saline in decreasing postdural puncture headache. *Journal of Anesthesia*, *28*(2), 206–209. <https://doi.org/10.1007/s00540-013-1683-8>

Firdous, T., Ahmed, M., & Maqsood, S. (2016). *View of frequency of post dural puncture headache in patients undergoing elective cesarean section under spinal anesthesia with Median versus paramedian approach: Anaesthesia, Pain & Intensive Care*. View of Frequency of post dural puncture headache in patients undergoing elective cesarean section under spinal anesthesia with median versus paramedian approach | Anaesthesia, Pain & Intensive Care. Retrieved October 1, 2021, from <https://www.apicareonline.com/index.php/APIC/article/view/253/1033>.

FitzGerald, S., & Salman, M. (2019). Postdural puncture headache in obstetric patients. *British Journal of General Practice*, 69(681), 207–208. <https://doi-org.libproxy.siue.edu/10.3399/bjgp19X702125>

Geraciotti, Jr., T. D., Dodge, H., Ekhtator, N., Wilson, L., Fischer, M., Jansen, I., Horn, P., & Hurford, W. (2013). Cigarette smokers have reduced risk for postdural puncture headache. *Pain Physician*, 1;16(1;1), E25–E30. <https://doi.org/10.36076/ppj.2013/16/e25>

Goldszmidt, E., Kern, R., Chaput, A., & Macarthur, A. (2005). The incidence and etiology of postpartum headaches: A prospective cohort study. *Canadian Journal of Anesthesia/Journal Canadien D'anesthésie*, 52(9), 971–977. <https://doi.org/10.1007/bf03022061>

Gurulingaswamy, S., Ramegowda, D. S., MCB, S., & Iyyappan, A. (2019). Postdural puncture headache: A comparison between Median and paramedian approach under spinal anesthesia in cesarean section. *Indian Journal of Anesthesia and Analgesia*, 6(6 (P-2), 2241–2248. <https://doi.org/10.21088/ijaa.2349.8471.6619.57>

Hakim, S. M. (2010). Cosyntropin for prophylaxis against postdural puncture headache after accidental dural puncture. *Anesthesiology*, 113(2), 413–420. <https://doi.org/10.1097/aln.0b013e3181dfd424>

Hanling, S. R., Lagrew, J. E., Colmenar, D. H., Quiko, A. S., & Drastol, C. A. (2016). Intravenous Cosyntropin Versus Epidural Blood Patch for Treatment of Postdural Puncture Headache. *Pain medicine (Malden, Mass.)*, 17(7), 1337–1342. <https://doi.org/10.1093/pm/pnw014>

Harrington, B. E., & Reina, M. A. (2020, April 23). Postdural Puncture Headache. NYSORA. Retrieved September 10, 2021, from <https://www.nysora.com/foundations-of-regional-anesthesia/complications/postdural-puncture-headache/>.

Heesen, M., Klöhr, S., Rossaint, R., Van De Velde, M., & Straube, S. (2013). Can the incidence of accidental dural puncture in laboring women be reduced? A systematic review and meta-analysis. *Minerva anesthesiologica*, 79(10), 1187–1197.

IBM Watson Health. (2020). Cosyntropin: Adverse Effects. *IBM Micromedex*. Retrieved October 29, 2021, from https://www-micromedexsolutions-com.libproxy.siu.edu/micromedex2/librarian/CS/60498A/ND_PR/evidencexpert/ND_P/evidencexpert/DUPLICATIONSHIELDSYNC/5878AA/ND_PG/evidencexpert/ND_B/evidencexpert/ND_AppProduct/evidencexpert/ND_T/evidencexpert/PFActionId/evidencexpert.DoIntegratedSearch?SearchTerm=cosyntropin&UserSearchTerm=cosyntropin&SearchFilter=filterNone&navitem=searchALL#.

International Headache Society. (2018, January 31). *Post-dural puncture headache*. The International Clarification of Headache Disorders: 3rd Edition. Retrieved September 16, 2021, from <https://ichd-3.org/7-headache-attributed-to-non-vascular-intracranial-disorder/7-2-headache-attributed-to-low-cerebrospinal-fluid-pressure/7-2-1-post-dural-puncture-headache/>.

Jespersen, M. S., Jaeger, P., Ægidius, K. L., Fabritius, M. L., Duch, P., Rye, I., Afshari, A., & Meyhoff, C. S. (2020). Sphenopalatine ganglion block for the treatment of postdural

puncture headache: A randomised, blinded, clinical trial. *British Journal of Anaesthesia*, 124(6), 739–747. <https://doi.org/10.1016/j.bja.2020.02.025>

Khraise, W. N., Allouh, M. Z., El-Radaideh, K. M., Said, R. S., & Al-Rusan, A. M. (2017). Assessment of risk factors for postdural puncture headache in women undergoing cesarean delivery in Jordan: a retrospective analytical study. *Local and regional anesthesia*, 10, 9–13. <https://doi.org/10.2147/LRA.S129811>

Kwak K. H. (2017). Postdural puncture headache. *Korean journal of anesthesiology*, 70(2), 136–143. <https://doi.org/10.4097/kjae.2017.70.2.136>

Kuczkowski K. M. (2004). Post-dural puncture headache in the obstetric patient: an old problem. New solutions. *Minerva anesthesiologica*, 70(12), 823–830.

Kuczkowski, K. M. (2006). The management of accidental dural puncture in pregnant women: What does an obstetrician need to know? *Archives of Gynecology and Obstetrics*, 275(2), 125–131. <https://doi.org/10.1007/s00404-006-0146-y>

Ljubisavljevic, S., & Zidverc Trajkovic, J. (2020). Postdural puncture headache leads to clinical worsening of pre-existing chronic headache. *Journal of Clinical Neuroscience*, 75, 30–34. <https://doi.org/10.1016/j.jocn.2020.03.043>

Mehmood, M. S., Iqbal, T., Farooqi, R., Bhatti, Z. Y., & Liaquat, F. (2021). To compare frequency of post dural puncture headache with Quincke 25g and Quincke 27G needles for S/a. *Pakistan Journal of Medical and Health Sciences*, 15(6), 1221–1222. <https://doi.org/10.53350/pjmhs211561221>

Menser, C., Franklin, A., Estrada, C., & Rhem, K. (2018). *Post-Dural Puncture Headache Protocol*. Vanderbilt University Department of Anesthesiology Center for Evidence-Based Anesthesia Evidence-Based Guidance and Practice Protocol. Retrieved November 6, 2021, from https://www.vumc.org/childrens-quality-safety/sites/default/files/public_files/CPG_Post-Dural%20Puncture%20Headache_082418.pdf.

Miu, M., Paech, M. J., & Nathan, E. (2014). The relationship between body mass index and post-dural puncture headache in obstetric patients. *International Journal of Obstetric Anesthesia*, 23(4), 371–375. <https://doi.org/10.1016/j.ijoa.2014.06.005>

Moaveni, D. (2020). Management of intrathecal catheters in the obstetric patient. *BJA Education*, 20(7), 216–219. <https://doi.org/10.1016/j.bjae.2020.02.004>

Mosaffa, F., Karimi, K., Madadi, F., Khoshnevis, S. H., Daftari Besheli, L., & Eajazi, A. (2011). Post-dural Puncture Headache: A Comparison Between Median and Paramedian Approaches in Orthopedic Patients. *Anesthesiology and pain medicine*, 1(2), 66–69. <https://doi.org/10.5812/kowsar.22287523.2159>

Nagelhout, J. J., & Elisha, S. (2018). Regional Anesthesia: Spinal and Epidural Anesthesia. In *Nurse anesthesia* (pp. 1026–1030). Elsevier.

Neal JM, Rathmell JP. (2013). *Complications in Regional Anesthesia and Pain Medicine, 2nd ed.* Philadelphia: Lippincott Williams & Wilkins.

- Obstetric Anaesthetists' Association. (2018). *Treatment of obstetric post-dural puncture headaches*. Clinical Guidelines. Retrieved October 26, 2021, from https://www.oaa-anaes.ac.uk/assets/_managed/cms/files/Guidelines/New%20PDPH%20Guidelines.pdf.
- Orbach-Zinger, S., Ashwal, E., Hazan, L., Bracco, D., Ioscovich, A., Hirsch, L., Khinchuck, A., Aviram, A., & Eidelman, L. A. (2016). Risk Factors for Unintended Dural Puncture in Obstetric Patients: A Retrospective Cohort Study. *Anesthesia and analgesia*, 123(4), 972–976. <https://doi.org/10.1213/ANE.0000000000001510>
- Ottestad, E., & Mallick-Searle, T. (2019). *Post Dural Puncture Headache Guidelines (PDPH) Conservative Strategy Prior to Considering Blood Patch*. Retrieved November 20, 2021.
- Paech, M., Banks, S., & Gurrin, L. (2001). An audit of accidental dural puncture during epidural insertion of a Tuohy needle in obstetric patients. *International journal of obstetric anaesthesia*, 10(3), 162–167. <https://doi.org/10.1054/ijoa.2000.0825>
- Paech, M. J., Doherty, D. A., Christmas, T., Wong, C. A., & Epidural Blood Patch Trial Group (2011). The volume of blood for epidural blood patch in obstetrics: a randomized, blinded clinical trial. *Anesthesia and analgesia*, 113(1), 126–133. <https://doi.org/10.1213/ANE.0b013e318218204d>
- Patel, R., Urits, I., Orhurhu, V., Orhurhu, M. S., Peck, J., Ohuabunwa, E., Sikorski, A., Mehrabani, A., Manchikanti, L., Kaye, A. D., Kaye, R. J., Helmstetter, J. A., & Viswanath, O. (2020). A Comprehensive Update on the Treatment and Management of

Postdural Puncture Headache. *Current Pain & Headache Reports*, 24(6), 1–9. <https://doi-org.libproxy.siue.edu/10.1007/s11916-020-00860-0>

Peralta, F., & Devroe, S. (2017). Any news on the postdural puncture headache front? *Best Practice & Research Clinical Anaesthesiology*, 31(1), 35–47.
<https://doi.org/10.1016/j.bpa.2017.04.002>

Peralta, F., Higgins, N., Lange, E., Wong, C. A., & McCarthy, R. J. (2015). The relationship of body mass index with the incidence of postdural puncture headache in parturients. *Anesthesia & Analgesia*, 121(2), 451–456.
<https://doi.org/10.1213/ane.0000000000000802>

Pirbudak, L. (2019). Postdural puncture headache: Incidence and predisposing factors in a University Hospital. *Ağrı - The Journal of The Turkish Society of Algology*.
<https://doi.org/10.5505/agri.2018.43925>

Ragab, A., & Facharzt, K. N. (2014). Caffeine, is it effective for prevention of postdural puncture headache in young adult patients? *Egyptian Journal of Anaesthesia*, 30(2), 181–186. <https://doi.org/10.1016/j.egja.2013.11.005>

Ramanuj, R., M. Doshi, S., & Parmar, R. (2019). Compare the incidence of post dural puncture headache of two different age groups and gender in elective lower limb surgeries: A prospective, observational study. *Indian Journal of Clinical Anaesthesia*, 6(3), 415–419.
<https://doi.org/10.18231/j.ijca.2019.080>

- Reina, M. A., de Leon-Casasola, O. A., Lopez, A., De Andres, J., Martin, S., & Mora, M. (2000). An in vitro study of dural lesions produced by 25-gauge Quincke and Whitacre needles evaluated by scanning electron microscopy. *Regional anesthesia and pain medicine*, 25(4), 393–402. <https://doi.org/10.1053/rapm.2000.7622>
- Richman, J. M., Joe, E. M., Cohen, S. R., Rowlingson, A. J., Michaels, R. K., Jeffries, M. A., & Wu, C. L. (2006). Bevel direction and postdural puncture headache: a meta-analysis. *The neurologist*, 12(4), 224–228. <https://doi.org/10.1097/01.nrl.0000219638.81115.c4>
- Rodríguez-Boto, G., Rivero-Garvía, M., Gutiérrez-González, R., & Marquez-Rivas, J. (2015). Basic concepts about brain pathophysiology and intracranial pressure monitoring. *Neurologia*, 30, 16-22.
- Salik, F., Kiliç, E. T., Akelma, H., & Güzel, A. (2018). The Effects of the Quincke Spinal Needle Bevel Insertion on Postdural Puncture Headache and Hemodynamics in Obstetric Patients. *Anesthesia, essays and researches*, 12(3), 705–710. https://doi.org/10.4103/aer.AER_101_18
- Scavone, B. M., Wong, C. A., Sullivan, J. T., Yaghmour, E., Sherwani, S. S., & McCarthy, R. J. (2004). Efficacy of a prophylactic epidural blood patch in preventing post dural puncture headache in parturients after inadvertent dural puncture. *Anesthesiology*, 101(6), 1422–1427. <https://doi.org/10.1097/00000542-200412000-00024>
- Shivan, M., Smita, P., Parul, M., & Keshaban, M. (2020). Effect of reinsertion of the spinal needle stylet after spinal anaesthesia procedure on post dural puncture headache in

women undergoing caesarean delivery. *Indian journal of anaesthesia*, 64(11), 971–978.
https://doi.org/10.4103/ija.IJA_1080_20

Simic, S., Kopitovic, A., Rabi-Zikic, T., Knezevic, J., Radmilo, L., & Simic, D. (2019). Post-dural puncture headache: Epidemiology, onset mechanisms, clinical symptoms, diagnosis and therapy. *Medical Review*, 72(11-12), 383–388. <https://doi.org/10.2298/mpns1912383s>

Sinikoglu, N. S., Yeter, H., Gumus, F., Belli, E., Alagol, A., & Turan, N. (2013). Reinsertion of the Stylet does not affect incidence of post dural puncture headaches (PDPH) after spinal anesthesia. *Brazilian Journal of Anesthesiology*, 63(2), 188–192.
[https://doi.org/10.1016/s0034-7094\(13\)70213-7](https://doi.org/10.1016/s0034-7094(13)70213-7)

Sjulstad, A. S., Odeh, F., Baloch, F. K., Berg, D. H., Arntzen, K., & Alstadhaug, K. B. (2020). Occurrence of postdural puncture headache—a randomized controlled trial comparing 22G sprotte and quincke. *Brain and Behavior*, 10(12). <https://doi.org/10.1002/brb3.1886>

Song, J., Zhang, T., Choy, A., Penaco, A., & Joseph, V. (2017). Impact of obesity on post-dural puncture headache. *International Journal of Obstetric Anesthesia*, 30, 5–9.
<https://doi.org/10.1016/j.ijoa.2016.10.009>

Sprigge, J. S., & Harper, S. J. (2007). Accidental dural puncture and post dural puncture headache in obstetric anaesthesia: Presentation and Management: A 23-year survey in a District General Hospital. *Anaesthesia*, 63(1), 36–43. <https://doi.org/10.1111/j.1365-2044.2007.05285.x>

Stride, P. C., & Cooper, G. M. (1993). Dural taps revisited. *Anaesthesia*, 48(3), 247–255.

<https://doi.org/10.1111/j.1365-2044.1993.tb06913.x>

Strupp, M., & Brandt, T. (1998). Incidence of post-lumbar puncture syndrome reduced by reinserting the stylet: A randomized prospective study of 600 patients. *Journal of Neurology*, 245(9), 589–592.

Suescun, H., Austin, P., & Gabaldon, D. (2016). Nonpharmacologic Neuraxial Interventions for Prophylaxis of Postdural Puncture Headache in the Obstetric Patient. *AANA journal*, 84(1), 15–22.

Trivedi, N. S., Eddi, D., & Shevde, K. (1993). Headache prevention following accidental dural puncture in obstetric patients. *Journal of clinical anaesthesia*, 5(1), 42–45.

[https://doi.org/10.1016/0952-8180\(93\)90086-t](https://doi.org/10.1016/0952-8180(93)90086-t)

Uluer, M. S., Sargin, M., Akin, F., Uluer, E., & Sahin, O. (2019). A randomized study to evaluate post-dural puncture headache after cesarean section: Comparison with Median and paramedian approaches. *Nigerian Journal of Clinical Practice*, 22(11), 1564.

https://doi.org/10.4103/njcp.njcp_100_19

Uludag, Ö., & Tutak, A. (2019). Efficacy of prophylactic epidural saline for reducing postdural puncture headache in patients undergoing caesarean section. *Journal of Surgery and Medicine*. <https://doi.org/10.28982/josam.604790>

Van de Velde, M., Schepers, R., Berends, N., Vandermeersch, E., & De Buck, F. (2008). Ten years of experience with accidental dural puncture and post-dural puncture headache in a

tertiary obstetric anaesthesia department. *International Journal of Obstetric Anesthesia*, 17(4), 329–335. <https://doi.org/10.1016/j.ijoa.2007.04.009>

Verstraete, S., Walters, M. A., Devroe, S., Roofthoof, E., & Van De Velde, M. (2014). Lower incidence of post-dural puncture headache with spinal catheterization after accidental dural puncture in obstetric patients. *Acta Anaesthesiologica Scandinavica*, 58(10), 1233–1239. <https://doi.org/10.1111/aas.12394>

Weji, B. G., Obsa, M. S., Melese, K. G., & Azeze, G. A. (2020). Incidence and risk factors of postdural puncture headache: Prospective cohort study design. *Perioperative Medicine*, 9(1). <https://doi.org/10.1186/s13741-020-00164-2>

Wu, C. L., Rowlingson, A. J., Cohen, S. R., Michaels, R. K., Courpas, G. E., Joe, E. M., & Liu, S. S. (2006). Gender and post-dural puncture headache. *Anesthesiology*, 105(3), 613–618. <https://doi.org/10.1097/00000542-200609000-00027>

Wulf, H. F. W. (1998). The centennial of spinal anesthesia. *Anesthesiology*, 89(2), 500–506. <https://doi.org/10.1097/00000542-199808000-00028>

Zorrilla-Vaca, A., & Kaur, J. (2017). Effectiveness of lateral Decubitus position for preventing post-dural puncture headache: A meta-analysis. *May 2017*, 4(20;4). <https://doi.org/10.36076/ppj.2017.e529>

Zorrilla-Vaca, A., Mathur, V., Wu, C. L., & Grant, M. C. (2018). The impact of spinal needle selection on postdural puncture headache. *Regional Anesthesia and Pain Medicine*, 1. <https://doi.org/10.1097/aap.0000000000000775>

